

MICROCOPY RESOLUTION TEST CHART NATIONAL BOOKEA, TO TAKE AND THE A

Tomasia (2 199)



SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM			
	3 RECIPIENT'S CATALOG NUMBER			
NRL Memorandum Report 5193				
4 TITLE (and Subtitle)	Interim report on a continuing			
SIMULATION OF A URANIUM VAPOR RELEASE	NRL problem.			
IN THE HIGH ALTITUDE ATMOSPHERE	6 PERFORMING ORG REPORT NUMBER			
7 AUTHOR(s)	B CONTRACT OR GRANT NUMBER(#)			
J. Fedder, K. Hain, and E. Hyman*				
9 PERFORMING ORGANIZATION NAME AND ADDRESS	10 PROGRAM ELEMENT PROJECT TASK			
Naval Research Laboratory	10 PROGRAM ELEMENT PROJECT, TASK AREA & WORK UNIT NUMBERS			
Washington, DC 20375	67215H; 47-1944-0-3			
1) CONTROLLING OFFICE NAME AND ADDRESS	November 22, 1983			
Defense Nuclear Agency	13 NUMBER OF PAGES			
Washington, DC 20305	48			
14 MONITORING AGENCY NAME & ADDRESS(II dillerent from Controlling Office)	15. SECURITY CLASS (of this report) UNCLASSIFIED			
	154 DECLASSIFICATION DOWNGRADING SCHEDULE			
	SCHEDULE			
Approved for public release; distribution unlimited.				
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different fro	m Report)			
*Present address: Science Applications, Inc., McLean, V This research was sponsored by the Defense Nuclear Age work unit 00079 and work unit title "Uranium Release	ency under Subtask S125AMX10			
19. KEY WORDS (Continue on reverse side it necessary and identify by block number) Uranium release				
Ionospheric infrared emission	3/			
Ionospheric uranium chemistry Ionospheric striation formation	10 to 20 % proce /cm,			
We present simulation results for a large uranium gas raltitude of 200 km. The purpose of such an experiment infrared emission line strengths and spectra of uranium of the simulation shows that the release would have high ic it would have a radius of about half a kilometer perpendigand that it would spread to a few kilometers along the fi	al release would be to study exides after a nuclear explosion. on densities ~108 cm-3, that icular to the geomagnetic field,			

and that it would spread to a few kilometers along the field. We also demonstrate the complete oxidation of U to (1) would require tens of seconds.

DD 15AN 7, 1473 EDITION OF 1 NOV 65 15 OBSOLETE S/N 0102-014-6601 SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UO2(†)

•

..

CONTENTS

I.	Introduction	I
II.	Simulation Model	2
111.	Results	4
٤٧.	Conclusions	7
Ackno	wledgments	8
Refer	ences	7

Acces	sion For			
NTIS	GRA&I	M		
DTIC	TAB	Ä		
Unannounced				
Justification				
	ribution/ Hability	Codes		
	Avail and	l/or		
Dist	Special	L		
A-1	,			



SIMULATION OF A URANIUM VAPOR RELEASE IN THE HIGH ALTITUDE ATMOSPHERE

I. Introduction:

High altitude nuclear explosions can lead to greatly enhanced infrared radiation in the earth's atmosphere and can thereby have a deleterious effect on defensive infrared systems. This enhanced infrared radiation has a number of sources: direct plasma radiation from the nuclear burst created plasma; creation of increased densities and/or increased temperatures of natural atmospheric infrared radiators such as hydroxyl, nitrogen oxides and carbon oxides; and also infrared radiation of weapon and vehicle debris species which are vaporized in the explosion. Recently it has been recognized that urmium and its oxides are likely to be the dominant infrared active species at 10 minutes and later following a high altitude nuclear detonation (Armstrone, 1981).

The Defense Nuclear Agency has an interest in developing methods to predict the infrared radiation after a high altitude nuclear event. Armstrong points out those areas where there is a severe lack of knowledge required to make accurate predictions. In order to measure the spectral lines and the strength of long wavelength infrared emission it is expected that fairly large releases of uranium vapor will be necessary in the earth's high atmosphere. Only after such measurements are made will accurate predictions become possible. With this requirement in mind, we have considered the scenario originally described by Reidy (1980) involving the prompt deposition of 2 kg of uranium vapor at an altitude of 200 km. Current experimental release techniques are short of being capable of this rapid a deposition by orders of magnitude.

In this memorandum, we present results for the temporal evolution of a uranium vapor release at approximately 200 kilometer altitude in the earth's atmosphere. The results are obtained by numerical simulations using a simple model and can be used to plan such an experimental release. The results describe both the chemical and hydrodynamic evolution for one experimental scenario for time periods of a few tens of seconds. We predict a uranium ion cloud extended along the field but narrow perpendicular to the earth's magnetic field. The ion densities are high for minutes after release with the Manuscript approved August 18, 1983.

ions, $\mathrm{U0}^+$ and $\mathrm{U0}_2^+$, formed in shells around the release point. The time scale for complete oxidation of U to $\mathrm{U0}_2^+$ is demonstrated to be a few tens of seconds.

II. Simulation Model:

We consider a simple one-dimensional model of the uranium release. The temporal evolution of each species, denoted α , is described by equation 1.

$$\frac{\partial n}{\partial t} = \frac{\partial n}{\partial t} \text{ hydro} + \frac{\partial n}{\partial t} \text{ diff} + \frac{\partial n}{\partial t} \text{ chem}$$
 (1)

The first term on the right is the change in the concentration from hydrodynamic transport. The second term describes diffusion of ions through ions and neutrals through neutrals. The third term treats chemical transformation of the individual species.

The hydrodynamic transport of ions and neutrals is done separately. The transport equations are:

continuity

$$\frac{\partial \rho_{S}}{\partial t} = - \nabla \cdot (\rho_{S} \underline{v}_{S}), \qquad (2)$$

momentum

$$\frac{\partial \underline{v}}{\partial t} = -(\underline{v}_{s} \cdot \nabla)\underline{v}_{s} - \frac{1}{\rho_{s}}\nabla(\rho_{s} + q_{s}) - \sigma\rho_{t}(\underline{v}_{s} - \underline{v}_{t})$$
(3)

and energy

$$\frac{\partial p_{s}}{\partial t} = -\nabla \cdot (p_{s} \underline{v}_{s}) - (\gamma - 1) (p_{s} + q_{s}) \nabla \cdot \underline{v}_{s}$$

$$-\sigma p_{s} p_{t} (T_{t} - T_{s}) + (\gamma - 1) \frac{\sigma p_{s} p_{t}}{(p_{s} + p_{t})^{2}} p_{s} (\underline{v}_{s} - \underline{v}_{t})^{2}$$
(4)

Here s denotes either the ions or the neutrals and t denotes the other. The symbols ρ , \underline{v} , p, T, and q are density, flow velocity, pressure, temperature,

and artificial viscosity respectively. γ is the ratio of specific heats and σ the collisional coefficient of friction.

In this simple one dimensional model of transport we treat two specific cases; transport perpendicular and transport parallel to the ambient geomagnetic field. Perpendicular to B the neutrals are transported spherically and the ions are frozen to the unmoving field. Parallel to B, the neutrals are transported spherically and the ions are transported along a cartesian axis parallel to the field. The two cases of the simple one-dimensional model should give reasonable estimates for the size of a release cloud in the atmosphere. Since the transport model allows for diffusion between ions and neutrals our diffusion model only needs to consider neutrals and ions diffusing through themselves.

The diffusion equation in a multi constituent gas can be expressed (Burgers 1969)

$$\sum_{\lambda} \rho_{\alpha} \rho_{\beta} \sigma_{\alpha\beta} (\underline{v}_{\alpha} - \underline{v}_{\beta}) = T(\nabla \rho_{\alpha} - \frac{\rho_{\alpha}}{\rho} \nabla \rho). \tag{5}$$

where ρ is the total density. An exact solution for diffusion can be obtained by inversion of (5) and substitution of the species velocities into a set of coupled continuity equations for each specie. For our model here however we approximate (5) and obtain a decoupled set of continuity equations. We assume $\sigma_{\alpha\beta}=\sigma$, a constant, which allows us to express the effects of diffusion as

$$\frac{\partial \rho_{\alpha}}{\partial t} = -\nabla \cdot (\kappa \nabla \rho_{\alpha}/\rho), \tag{6}$$

where κ is a diffusion coefficient depending on σ . We have tested this simplified diffusion model and have obtained reasonable results. The simplification of diffusion, while not totally accurate, yields results which are within a factor of two.

The effects of chemistry on the species are computed in a series of rate equations

$$\frac{\partial n}{\partial t} = k_{st} n_{s} n_{t}. \tag{7}$$

The reactions of concern and their rate coefficients, $k_{\rm St}$, are shown in Table 1 which are taken from Armstrong (1981) and Archer (1982).

The final part of the model is the specification of the neutral atmosphere. We have taken species concentrations and a temperature appropriate to moderate solar activity, daytime, 200 km altitude conditions; they are $[0] = 4.4 \times 10^9 \text{ cm}^{-3}$, $[N_2] = 4.2 \times 10^9 \text{ cm}^{-3}$, and $[0_2] = 2.6 \times 10^8 \text{cm}^{-3}$. The neutral atmospheric temperature is 0.1 ev.

III. Results:

We have solved the model equations 1,2,3,4,6, and 7 for a uranium vapor release at 200 km altitude in the atmosphere. We have assumed a prompt release of 2 kg of atomic uranium, approximately 5. x 10^{22} atoms. The temperature of the uranium vapor is taken as 0.276 ev. Three sets of solutions were obtained with the diffusion coefficient, κ , as a parameter to study the effects of diffusion on the release evolution. In the first, or nominal, case κ was taken as 0.1 km²/sec, a nominal diffusion coefficient at 200 km altitude. For an appropriate gradient scale length of 100 m the diffusion velocity is 100 m/sec. This value is about 17% of the sound speed at that altitude. We have also obtained results for diffusion coefficients 1/3 and 3 times the nominal value. The slower diffusion rates lead to very slow oxidation of the uranium vapor and are therefore uninteresting. In the following sections we show results for nominal diffusion and faster diffusion.

Figures I through 14 show results for the simulation perpendicular to the geomagnetic field with nominal diffusion. Figure I shows the initial conditions of the release. The vertical axis plots the logarithm to the base 10 of the gas concentration while the horizontal axis measures radius of the release in km. The uranium vapor has a radius of 200 m and has displaced the ambient atmospheric species. We have tested a number of initializations and find that the results after a few seconds are insensitive to details of the initial conditions.

Figures 2, 3, and 4 show the neutral gas concentration at 2, 5, and 10 seconds respectively. Initially both atomic and molecular oxygen are burned out of the release cloud in oxidizing the uranium gas. The atomic oxygen is able to diffuse into the cloud by about 5 seconds but the molecular oxygen continues to be consumed as it diffuses in for times longer than 10 seconds.

Table 1

Chemical Reaction Rate Coefficients

$U + 0 \rightarrow U0^{+} + e^{-}$	$5 \times 10^{-10} \text{ cm}^3/\text{sec}$
	$3.8 \times 10^{-12} \text{ cm}^3/\text{sec}$
_	$1.8 \times 10^{-10} \text{ cm}^3/\text{sec}$
$00 + 0 + 00^{+} + e^{-}$	$4 \times 10^{-10} \text{ cm}^3/\text{sec}$
$00 + 0_2 + 00_2 + 0$	$2 \times 10^{-9} \text{ cm}^3/\text{sec}$
$00^{+} + 0_{2} + 00_{2}^{+} + 0$	$4 \times 10^{-9} \text{ cm}^{3/\text{sec}}$
	$U + 0 \rightarrow U0^{+} + e^{-}$ $U + 0_{2} \rightarrow U0^{+}_{2} + e^{-}$ $U + 0_{2} \rightarrow U0 + 0$ $U0 + 0 \rightarrow U0^{+}_{2} + e^{-}$ $U0 + 0_{2} \rightarrow U0_{2} + 0$ $U0^{+}_{3} + 0_{2} \rightarrow U0^{+}_{4} + 0$

The different behaviour of atomic and molecular oxygen is due primarily to their different concentrations in the ambient atmosphere; there just is not enough molecular oxygen around to rapidly fully oxidize the cloud.

The resulting ion cloud concentrations are presented in Figures 5 through 11 for post release times of 2 to 50 seconds. The $\mathrm{U0}^+$ component forms in a shell like structure at a radius of about 200 meters from the release point. The shell is formed at a burning front between outward diffusing uranium vapor and inward diffusing atomic oxygen, and the ions are frozen in the geomagnetic field at their point of oxidation. The initial oxidation of uranium gas to $\mathrm{U0}^+$ is complete by 5 seconds. Further burning of $\mathrm{U0}^+$ to $\mathrm{U0}_2^+$ by molecular oxygen then takes place in an outer shell which slowly moves inward as unconsumed molecular oxygen is able to diffuse inward. The complete oxidation of uranium vapor to $\mathrm{U0}_2^+$ takes between 40 and 50 seconds. The final ion densities of $\mathrm{10}^{11}~\mathrm{cm}^{-3}$ in the shell are higher than would occur in an actual release because this one-dimensional model does not allow for diffusion parallel to the magnetic field. From studying our one dimensional parallel release results we would expect the maximum ion cloud densities to be about $\mathrm{10}^9~\mathrm{cm}^{-3}$ for this release.

Figures 12, 13, and 14 show the results for $\mathrm{U0}^+$, $\mathrm{U0}_2^+$, and O_2 concentrations respectively in a different graphical format. We have plotted contours of concentration versus radius and time after release. Here the shell structure of the ion cloud is clearly seen. The $\mathrm{U0}^+$ forms a shell at 200 meters radius immediately after release. The $\mathrm{U0}_2^+$ shell initially forms at about 400 meters and gradually builds inward as oxidation takes place. We are also able to see the cavity formed in the ambient O_2 which is only slowly filled by diffusion from the outside.

A similar set of results for the evolution of the uranium release parallel to the geomagnetic field is shown in Figures 15 through 24. The initial conditions, which are identical to the previous case are shown in Figure 15; note the change in scale on the horizontal axis. The neutral concentrations for 2, 5, and 10 seconds after release are shown in Figures 16, 17, and 18 respectively. The ion concentrations for the same time intervals after release are shown in Figures 19, 20, and 21. The qualitative nature of the temporal and spatial evolution is like that discussed previously for the perpendicular release. The primary difference in the results is that here the

ion cloud is able to readily diffuse outward. This parallel diffusion allows the UO_2^+ to become very extended along the geomagnetic field. The UO^+ is however still confined to the release region as it is consumed by oxidation by molecular oxygen as it attempts to diffuse parallel to the magnetic field.

Figures 22,23 and 24 show contours of $\mathrm{U0}^+$, $\mathrm{U0}_2^+$, and O_2 concentration respectively for the parallel simulation. Again the results are similar to those for the perpendicular simulation. The formation of an ion cloud shell about the release point is again clearly seen. The shell is broader in this case, and for $\mathrm{U0}_2^+$ diffusion outward is very noticeable. The molecular oxygen is depleted in the release location, and for this case the burned out region is very much larger as the ions diffuse outward.

The results for the uranium release simulations with 3 times faster diffusion are shown in Figures 25 through 28. The initial conditions are the same as used for normal diffusion. Figures 25 and 26 present results of the perpendicular simulation 10 seconds after release for the neutrals and ions respectively. Figures 27 and 28 show results for the parallel simulation. The results in both instances are qualitatively similar to those represented previously. The major quantitative differences are a more capid oxidation of 00^+ to 00^+ allowed by faster diffusion of 00^+ into the ion cloud, and for the parallel case, a more rapid diffusion of 00^+ along the geomagnetic field. Nevertheless the time scale for the complete oxidation of 00^+ to 00^+ is still greater than 00^+ secs.

IV. Conclusions

The results of the numerical simulation of a uranium vapor release at about 200 km altitude have demonstrated a very consistent and understandable morphology. For the 2 kg prompt release considered here, it is clearly demonstrated that the uranium vapor will completely burn out the molecular oxygen of the ambient neutral atmosphere. Moreover diffusion of molecular oxygen from outside into the release cloud is not sufficient to rapidly oxidize the cloud to its final state, UO_2^+ . We have shown that the time scale for complete oxidation is a few tens of seconds.

It might be thought that increasing the altitude of release would alleviate the slow oxidation of the cloud owing to faster diffusion rates. Unfortunately this is probably not the case since the atmospheric molecular

oxygen density decreases rapidly with altitude and the burn out would be more severe. It would appear that the only solution to the slow oxidation problem would be to release the uranium vapor gradually. However, in this case one would not have a compact cloud for measurement but would have a long thin trail of oxidized uranium ions across the sky.


The morphology of the release simulated here has a clearly defined shell structure. The ion cloud is also greatly extended along the geomagnetic field. At early times after release the ions form a double shell with UO_2^+ ions forming outside the UO_2^+ shell. At later times there is a single shell of UO_2^+ ions with a diameter of about 1 km perpendicular to the magnetic field and a length along the field of more than 10 km. The simulation indicates that the ion density in the shell can be expected to be 10^8 to 10^9 cm⁻³. This is a very high density when compared to the well studied barium vapor release where the ion densities are normally 2 orders of magnitude lower.

These very high ion densities can have important implication for gradier drift structuring for the uranium release ion cloud. For barium releases, it has been demonstrated that ion clouds which have a large conductivity ratio compared to the background ionosphere form striations very slowly (Linson, 1975). Therefore, we would expect that a uranium vapor release would create a slowly structuring ion cloud. This situation may be somewhat alleviated by conducting the uranium release during daytime with higher ambient ionospheric conductivities. However, on balance the uranium ion cloud should only slowly form striations.

In summary, we conclude that a prompt uranium vapor release would result in a $10\frac{1}{2}$ ion cloud in a few tens of seconds. The ion cloud would have a shell like structure and be compact perpendicular to the magnetic field and very elongated along the field. The ion concentrations would range from 10^8 to 10^9 cm⁻³ and would develop striated structure very slowly.

Acknowledgments

This work was supported by the Defense Nuclear Agency.



Initial conditions for simulation perpendicular to the geomagnetic concentration in cm $^{-3}$ are shown for U, UO, HO, HO, o, and Og versus Logarithm to base 19 of field and nominal diffusion. radius from burst point. Figure 1.




Figure 2. Neutral gas concentration at 2 seconds after release.




Figure 3. Veutral gas concentrations at 5 seconds after.





Figure 4. Neutral gas concentrations at i3 seconds after release.



Ion gas concentrations at 2 seconds after release. Logarithm to and 0.02^+ versus distance from burst point perpendicular to base 10 of ton concentrations in cm⁻³ are shown for UO+ geomagnetic field. Figure 5.




Figure 6. Ion gas concentrations at 5 seconds after release.




Figure 7. Ion gas concentrations at 10 seconds after release.




Figure 8. Ion gas concentrations at 20 seconds after release.




Figure 9. Ion gas concentrations at 30 seconds after release.




Figure 10. Ion gas concentrations at 40 seronds after release.






Figure 11. Ton gas concentrations at 50 seconds after release.




release point. Contours are in cm⁻³. Notice shell formation at 0.2 km which only gradually decays in time.



gradually in time as 00^+ is oxidized by 0_2 at about $0.25~\mathrm{km}$ from

release point.



 θ_2 gas concentration contours. Notice deep hole created in θ_2 neir the release point which is only able to refill very slowly. Figure 14.




Figure 15. Initial conditions for simulation parallel to geomagnetic field and nominal diffusion. Same species are shown as in Fig. 1. Note the greatly expanded horizontal scale from Fig. 1.




Figure 16. Neutral gas concentrations at 2 seconds after release.




Figure 17. Neutral gas concentrations at 5 seconds after release.




Figure 18. Neutral gas concentrations at 10 seconds after release.




Figure 19. Ion concentrations for parallel simulation at 2 seconds, after release. Same species are shown as in Fig. 5.




Figure 20. Ion concentrations at 5 seconds after release.







Figure 21. Ion concentration at 10 seconds after release.



point for simulation parallel to geomagnetic field. Contours are in cm⁻³. Notice shell formation at about 0.5 km from release Figure 22. UO+ concentration contours versus time and distance from release point which is slowly consumed by oxidation to $^{10}_{2}$.



near release point, but in this case it spreads outwards owing to Figure 23. $00rac{1}{2}$ concentration contours. Shell formation again takes place the action of nominal diffusion.



release which only gradually refills after $\mathbf{0_2}$ concentration contours. Note again the deep hole in $\mathbf{0_2}$ formed oxidation of U and MO+ ceases. oŧ in vicinity Figure 24.




Figure 25. Neutral gas concentrations at 10 seconds for simulation perpendicular to geomagnetic field and faster than nominal diffusion.




Figure 26. Ion gas concentrations at 10 seconds for simulation perpendicular to geomagnetic field and faster diffusion.




Figure 27. Neutral gas concentrations at 10 seconds for simulation parallel to geomagnetic field and faster diffusion.




Figure 28. Ion gas concentrations at 10 seconds for simulation parallel to

geomagnetic field and faster diffusion.

References

- Archer, D.H., letter from Archer to Lt. Col. McKechney DNA-RAEE, 27 August, 1982.
- Armstrong, R.A., "An Analysis of the Potential for LWIR Emission From Uranian and Aluminum Oxide After a Nuclear Airburst", Air Force Geophysics Lab., AFGL-TR-82-0064, 26 October, 1981.
- Burgers, J.M., Flow Equations for Composite Gases, Academic Press, New York, Chap. 3, 1969.
- Linson, L.M., "Slab Release and Onset Time of Striations in Multiple Barium Release Studies, KMR Ionospheric Monitoring Program, Spring 1975, HAPREX Final Report V.3 Stanford Res. Inst. Int., Menlo Park, CA., October, 1978.
- Reidy, W.P., "LWIR/Structural Release Characteristics," Proceedings of the DNA Infrared Program Meeting, 23-24 January, 1980.

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

ASSISTANT SECRETARY OF DEFENSE COMM, CMD, CONT 7 INTELL WASHINGTON, D.C. 20301

DIRECTOR
COMMAND CONTROL TECHNICAL CENTER
PENTAGON RM BE 685
WASHINGTON, D.C. 20301
OICY ATTN C-650
OICY ATTN C-312 R. MASON

DIRECTOR
DEFENSE ADVANCED RSCH PROJ AGENCY
ARCHITECT BUILDING
1400 WILSON BLVD.
ARLIGTON, VA. 22209
OICY ATTN NUCLEAR MONITORING RESEARCH
OICY ATTN STRATEGIC TECH OFFICE

DEFENSE COMMUNICATION ENGINEER CENTER 1860 WIEHLE AVENUE RESTON, VA. 22090 OICY ATTN CODE R410 OICY ATTN CODE R812

DEFENSE TECHNICAL INFORMATION CENTER CAMERON STATION ALEXANDRIA, VA. 22314 02CY

DIRECTOR
DEFENSE NUCLEAR AGENCY
WASHINGTON, D.C. 20305
OICY ATTN STVL
O4CY ATTN TITL
O1CY ATTN DDST
O3CY ATTN RAAE

COMMANDER
FIELD COMMAND
DEFENSE NUCLEAR AGENCY
KIRTLAND, AFB, NM 87115
01CY ATTN FCPR

DIRECTOR
INTERSERVICE NUCLEAR WEAPONS SCHOOL
KIRTLAND AFB, NM 87115
OLGY ATTN DOCUMENT CONTROL

JOINT CHIEFS OF STAFF WASHINGTON, D.C. 20301 OICY ATTN J-3 WASHOCS EVALUATION OFFICE

DIRECTOR
JOINT STRAT TOT PLANNING STAFF
OFFUTT AFB
OMAHA, NB 68113
OICY ATTN JLTW-2
OICY ATTN JPST G. GOETZ

CHIEF
LIVERMORE DIVISION FLD COMMAND DNA
DEPARTMENT OF DEFENSE
LAWRENCE LIVERMORE LABORATORY
P.O. BOX 808
LIVERMORE, CA 94550
OICY ATTN FORRL

COMMANDANT
NATO SCHOOL (SHAPE)
APO NEW YORK 09172
01CY ATTN U.S. DOCUMENTS OFFICER

UNDER SECY OF DEF FOR RSCH & ENGRG
DEPARTMENT OF DEFENSE
WASHINGTON, D.C. 20301
OICY ATTN STRATEGIC & SPACE SYSTEMS (OS)

WWMCCS SYSTEM ENGINEERING ORG WASHINGTON, D.C. 20305 OICY ATTN R. CRAWFORD

COMMANDER/DIRECTOR
ATMOSPHERIC SCIENCES LABORATORY
U.S. ARMY ELECTRONICS COMMAND
WHITE SANDS MISSILE RANGE, NM 88002
OICY ATTN DELAS-EO F. NILES

PHECEDING PAGE BLANK-NOT FILMED

DIRECTOR
BMD ADVANCED TECH CTR
HUNTSVILLE OFFICE
P.O. BOX 1500
HUNTSVILLE, AL 35807
OICY ATTN ATC-T MELVIN T. CAPPS
OICY ATTN ATC-O W. DAVIES
OICY ATTN ATC-R DON RUSS

PROGRAM MANAGER
BMD PROGRAM OFFICE
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
01CY ATTN DACS-BMT J. SHEA

CHIEF C-E- SERVICES DIVISION
U.S. ARMY COMMUNICATIONS CMD
PENTAGON RM 18269
WASHINGTON, D.C. 20310
O1CY ATTN C- E-SERVICES DIVISION

COMMANDER
FRADCOM TECHNICAL SUPPORT ACTIVITY
DEPARTMENT OF THE ARMY
FORT MONMOUTH, N.J. 07703
01CY ATTN DRSEL-NL-RD H. BENNET
01CY ATTN DRSEL-PL-ENV H. BOMKE
01CY ATTN J.E. QUIGLEY

COMMANDER
U.S. ARMY COMM-ELEC ENGRG INSTAL AGY
FT. HUACHUCA, AZ 85613
O1CY ATTN CCC-EMEO GEORGE LANE

COMMANDER
U.S. ARMY FOREIGN SCIENCE & TECH CTR
220 7TH STREET, NE
CHARLOTTESVILLE, VA 22901
01CY ATTN DRXST-SD

COMMANDER
U.S. ARMY MATERIAL DEV & READINESS CMD
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
01CY ATTN DRCLDC J.A. BENDER

COMMANDER
U.S. ARMY NUCLEAR AND CHEMICAL AGENCY
7500 BACKLICK ROAD
BLDG 2073
SPRINGFIELD, VA 22150
01CY ATTN LIBRARY

DIRECTOR
U.S. ARMY BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MD 21005
OICY ATTN TECH LIBRARY EDWARD BAICY

COMMANDER
U.S. ARMY SATCOM AGENCY
FT. MONMOUTH, NJ 07703
01CY ATTN DOCUMENT CONTROL

COMMANDER
U.S. ARMY MISSILE INTELLIGENCE AGENCY
REDSTONE ARSENAL, AL 35809
OICY ATTN JIM GAMBLE

DIRECTOR
U.S. ARMY TRADOC SYSTEMS ANALYSIS ACTIVITY
WHITE SANDS MISSILE RANGE, NM 88002
OICY ATTN ATAA-SA
OICY ATTN TCC/F. PAYAN JR.
OICY ATTN ATTA-TAC LTC J. HESSE

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, D.C. 20360
OICY ATTN NAVALEX 034 T. HUGHES
OICY ATTN PME 117
OICY ATTN PME 117-T
OICY ATTN CODE 5011

COMMANDING OFFICER
NAVAL INTELLIGENCE SUPPORT CTR
4301 SUITLAND ROAD, BLDG. 5
WASHINGTON, D.C. 20390
O1CY ATTN MR. DUBBIN STIC 12
O1CY ATTN NISC-50
O1CY ATTN CODE 5404 J. GALET

COMMANDER
NAVAL OCCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152
01CY ATTN J. FERGUSON

NAVAL RESEARCH LABORATORY
WASHINGTON, D.C. 20375

OICY ATTN CODE 4700 S. L. Ossakow
26 CYS IF UNCLASS. I CY IF CLASS)

OICY ATTN CODE 4701 I Vitkovitsky
OICY ATTN CODE 4780 J. Huba (100
CYS IF UNCLASS, I CY IF CLASS)

OICY ATTN CODE 7500
OICY ATTN CODE 7550
OICY ATTN CODE 7550
OICY ATTN CODE 7551
OICY ATTN CODE 7551
OICY ATTN CODE 7555
OICY ATTN CODE 4730 E. MCLEAN
OICY ATTN CODE 4730
OICY ATTN CODE 4730
OICY ATTN CODE 4730
OICY ATTN CODE 4730
OICY ATTN CODE 2628

COMMANDER
MAVAL SEA SYSTEMS COMMAND
WASGINGTON, D.C. 20362
GICY ATTN CAPT R. PITKIN

COMMANDER
NAVAL SPACE SURVEILLANCE SYSTEM
DAHLGREN, VA 22448
01CY ATTN CAPT J.H. BURTON

OFFICER-IN-CHARGE
NAVAL SURFACE WEAPONS CENTER
WHITE OAK, SILVER SPRING, MD 20910
OICY ATTN CODE F31

DIRECTOR
STRATEGIC SYSTEMS PROJECT OFFICE
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20376
Olcy ATTN NSP-2141
Olcy ATTN NSSP-2722 FRED WIMBERLY

NAVAL SURFACE WEAPONS CENTER
DAHLGREN LABORATORY
DAHLGREN, VA 22448
01CY ATTN CODE DF-14 R. BUTLER

OFFICER OF NAVAL RESEARCH
ARLINGTON, VA 22217
O1CY ATTN CODE 465
O1CY ATTN CODE 461
O1CY ATTN CODE 402
O1CY ATTN CODE 420
O1CY ATTN CODE 421

COMMANDER

COMMANDER
AEROSPACE DEFENSE COMMAND/DC
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
OICY ATTN DC MR. LONG

COMMANDER
AEROSPACE DEFENSE COMMAND/XPD
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
OICY ATTN XPDQQ
OICY ATTN XP

AIR FORCE GEOPHYSICS LABORATORY
HANSCOM AFB, MA 01731
01CY ATTN OPR HAROLD GARDNER
01CY ATTN LKB KENNETH S.W. CHAMPION
01CY ATTN OPR ALVA T. STAIR
01CY ATTN PHD JURGEN BUCHAU
01CY ATTN PHD JOHN P. MULLEN

AF WEAPONS LABORATORY
KIRTLAND AFT, NM 87117
O1CY ATTN SUL
O1CY ATTN CA ARTHUR H. GUENTHER
O1CY ATTN NTYCE 1LT. G. KRAJEI

AFTAC
PATRICK AFB, FL 32925
Olcy ATTN TF/MAJ WILEY
Olcy ATTN TN

AIR FORCE AVIONICS LABORATORY
WRIGHT-PATTERSON AFB, OH 45433
Olcy ATTN AAD WADE HUNT
Olcy ATTN AAD ALLEN JOHNSON

DEPUTY CHIEF OF STAFF RESEARCH, DEVELOPMENT, & ACQ DEPARTMENT OF THE AIR FORCE WASHINGTON, D.C. 20330 Olcy ATTN APRDQ

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731
01CY ATTN J. DEAS

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/YSEA
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01732
Olcy ATTN YSEA

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/DC
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731
OICY ATTN DCKC MAJ J.C. CLARK

COMMANDER
FOREIGN TECHNOLOGY DIVISION, AFSC
WRIGHT-PATTERSON AFB, OH 45433
OICY ATTN NICD LIBRARY
OICY ATTN ETDP B. BALLARD

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
GRIFFISS AFB, NY 13441
OICY ATTN DOC LIBRARY/TSLD
OICY ATTN OCSE V. COYNE

SAMSO/SZ
POST OFFICE BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
(SPACE DEFENSE SYSTEMS)
01CY ATTN SZJ

STRATEGIC AIR COMMAND/XPFS
OFFUTT AFB, NB 68113
O1CY ATTN ADWATE MAJ BRUCE BAUER
O1CY ATTN NRT
O1CY ATTN DOK CHIEF SCIENTIST

SAMSO/SK
P.O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
OICY ATTN SKA (SPACE COMM SYSTEMS)
M. CLAVIN

SAMSO/MN NORTON AFB, CA 92409 (MINUTEMAN) 01CY ATTN MNNL

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
HANSCOM AFB, MA 01731
01CY ATTN EEP A. LORENTZEN

DEPARTMENT OF ENERGY LIBRARY ROOM G-042 WASHINGTON, D.C. 20545 OICY ATTN DOC CON FOR A. LABOWITZ DEPARTMENT OF ENERGY
ALBUQUERQUE OPERATIONS OFFICE
P.O. BOX 5400
ALBUQUERQUE, NM 87115
OICY ATTN DOC CON FOR D. SHERWOOD

EGSG, INC.
LOS ALAMOS DIVISION
P.O. BOX 809
LOS ALAMOS, NM 85544
OICY ATTN DOC CON FOR J. BREEDLOVE

UMIVERSITY OF CALIFORNIA
LAWRENCE LIVERMORE LABORATORY
P.O. BOX 808
LIVERMORE, CA 94550
OICY ATTN DOC CON FOR TECH INFO DEPT
OICY ATTN DOC CON FOR L-389 R. OTT
OICY ATTN DOC CON FOR L-31 R. HAGER
OICY ATTN DOC CON FOR L-46 F. SEWARD

LOS ALAMOS NATIONAL LABORATORY
P.O. BOX 1663
LOS ALAMOS, NM 87545
OICY ATTN DOC CON FOR J. WOLCOTT
OICY ATTN DOC CON FOR R.F. TASCHEK
OICY ATTN DOC CON FOR E. JONES
OICY ATTN DOC CON FOR J. MALIK
OICY ATTN DOC CON FOR J. ZINN
OICY ATTN DOC CON FOR J. ZINN
OICY ATTN DOC CON FOR P. KEATON
OICY ATTN DOC CON FOR D. WESTERVELT
OICY ATTN DOC SAPPENFIELD

SANDIA LABORATORIES
P.O. BOX 5800
ALBUQUERQUE, NM 87115
O1CY ATTN DOC CON FOR W. BROWN
O1CY ATTN DOC CON FOR A. THORNBROUGH
O1CY ATTN DOC CON FOR T. WRIGHT
O1CY ATTN DOC CON FOR D. DAHLGREN
O1CY ATTN DOC CON FOR 3141
O1CY ATTN DOC CON FOR SPACE PROJECT DIV

SANDIA LABORATORIES
LIVERMORE LABORATORY
P.O. BOX 969
LIVERMORE, CA 94550
OICY ATTN DOC CON FOR B. MURPHEY
OICY ATTN DOC CON FOR T. COOK

OFFICE OF MILITARY APPLICATION DEPARTMENT OF ENERGY WASHINGTON, D.C. 20545 OICY ATTN DOC CON DR. YO SONG

OTHER GOVERNMENT

DEPARTMENT OF COMMERCE NATIONAL BUREAU OF STANDARDS WASHINGTON, D.C. 20234 OICY (ALL CORRES: ATTN SEC OFFICER FOR)

INSTITUTE FOR TELECOM SCIENCES NATIONAL TELECOMMUNICATIONS & INFO ADMIN BOULDER, CO 80303 O1CY ATTN A. JEAN (UNCLASS ONLY) Olcy ATTN W. UTLAUT

Olcy ATTN D. CROMBIE OLCY ATTN L. BERRY

NATIONAL OCEANIC & ATMOSPHERIC ADMIN ENVIRONMENTAL RESEARCH LABORATORIES DEPARTMENT OF COMMERCE BOULDER, CO 80302

OICY ATTN R. GRUBB OICY ATTN AERONOMY LAB G. REID

DEPARTMENT OF DEFENSE CONTRACTORS

AEROSPACE CORPORATION P.O. BOX 92957 LOS ANGELES, CA 90009 O1CY ATTN I. GARFUNKEL Olcy ATTN T. SALMI Olcy ATTN V. JOSEPHSON OICY ATTN S. BOWER OICY ATTN D. OLSEN

ANALYTICAL SYSTEMS ENGINEERING CORP 5 OLD CONCORD ROAD BURLINGTON, MA 01803 OICY ATTN RADIO SCIENCES

AUSTIN RESEARCH ASSOC., INC. 1901 RUTLAND DRIVE AUSTIN, TX 78758 Olcy ATTN L. SLOAN Olcy ATTN R. THOMPSON

BERKELEY RESEARCH ASSOCIATES, INC. P.O. BOX 983 BERKELEY, CA 94701 Olcy ATTN J. WORKMAN Olcy ATTN C. PRETTIE Olcy ATTN S. BRECHT

BOHING COMPANY, THE P.O. BOX 3707 SEATTLE, WA 98124 OLCY ATTN G. KEISTER OICY ATTN D. MURRAY Olcy ATTS G. HALL Olcy ATTS J. KENNEY

CHARLES STARK DRAPER LABORATORY, INC. 555 TECHNOLOGY SQUARE CAMBRIDGE, MA 02139 OICY ATTN D.B. COX OICY ATTN J.P. GILMORE

COMSAT LABORATORIES LINTHICUM ROAD CLARKSBURG, MD 20734 OICY ATTN G. HYDE

CORNELL UNIVERSITY DEPARTMENT OF ELECTRICAL ENGINEERING ITHACA, NY 14850 OICY ATTN D.T. FARLEY, JR.

ELECTROSPACE SYSTEMS, INC. BOX 1359 RICHARDSON, TX 75080 OICY ATTN H. LOGSTON OTCY ATTN SECURITY (PAUL PHILLIPS)

EOS TECHNOLOGIES, INC. 606 Wilshire Blvd. Santa Monica, Calif 90401 Olcy ATTN C.B. GABBARD

ESL, INC. 495 JAVA DRIVE SUNNYVALE, CA 94086 OICY ATTN J. ROBERTS OICY ATTN JAMES MARSHALL

GENERAL ELECTRIC COMPANY SPACE DIVISION VALLEY FORGE SPACE CENTER GODDARD BLVD KING OF PRUSSIA P.O. BOX 8555 PHILADELPHIA, PA 19101 OICY ATTN M.H. BORTNER SPACE SCI LAB

GENERAL ELECTRIC COMPANY P.O. BOX 1122 SYRACUSE, NY 13201 OICY ATTN F. REIBERT

GENERAL ELECTRIC TECH SERVICES CO., INC. HMES COURT STREET SYRACUSE, NY 13201 OICY ATTN G. MILLMAN

GEOPHYSICAL INSTITUTE
UNIVERSITY OF ALASKA
FAIRBANKS, AK 99701

(ALL CLASS ATTN: SECURITY OFFICER)

OICY ATTN T.N. DAVIS (UNCLASS ONLY)

OICY ATTN TECHNICAL LIBRARY

OICY ATTN NEAL BROWN (UNCLASS ONLY)

GTE SYLVANIA, INC.
ELECTRONICS SYSTEMS GRP-EASTERN DIV
77 A STREET
NEEDHAM, MA 02194
O1CY ATTN DICK STEINHOF

HSS, INC.
2 ALFRED CIRCLE
BEDFORD, MA 01730
01CY ATTN DONALD HANSEN

ILLINOIS, UNIVERSITY OF
107 COBLE HALL
150 DAVENPORT HOUSE
CHAMPAIGN, IL 61820
(ALL CORRES ATTN DAN MCCLELLAND)
01CY ATTN K. YEH

INSTITUTE FOR DEFENSE ANALYSES
1801 NO. BEAUREGARD STREET
ALEXANDRIA, VA 22311
01CY ATTN J.M. AEIN
01CY ATTN ERNEST BAUER
01CY ATTN HANS WOLFARD
01CY ATTN JOEL BENGSTON

INTL TEL & TELEGRAPH CORPORATION 500 WASHINGTON AVENUE NUTLEY, NJ 07110 01CY ATTN TECHNICAL LIBRARY

JAYCOR 11011 TORREYANA ROAD P.O. BOX 85154 SAN DIEGO, CA 92138 OICY ATTN J.L. SPERLING JOHNS HOPKINS UNIVERSITY
APPLIED PHYSICS LABORATORY
JOHNS HOPKINS ROAD
LAUREL, MD 20810
OLCY ATTN DOCUMENT LIBRARIAN
OLCY ATTN THOMAS POTEMRA
OLCY ATTN JOHN DASSOULAS

KAMAN SCIENCES CORP P.O. BOX 7463 COLORADO SPRINGS, CO 80933 OICY ATTN T. MEAGHER

KAMAN TEMPO-CENTER FOR ADVANCED STUDIES 816 STATE STREET (P.O DRAWER QQ) SANTA BARBARA, CA 93102 01CY ATTN DASIAC 01CY ATTN WARREN S. KNAPP 01CY AITN WILLIAM MCNAMARA 01CY ATTN B. GAMBILL

LINKABIT CORP 10453 ROSELLE SAN DIEGO, CA 92121 01CY ATTN IRWIN JACOBS

LOCKHEED MISSILES & SPACE CO., INC P.O. BOX 504
SUNNYVALE, CA 94086
OICY ATTN DEPT 60-12
OICY ATTN D.R. CHURCHILL

LOCKHEED MISSILES & SPACE CO., INC.
3251 HANOVER STREET
PALO ALTO, CA 94304
01CY ATTN MARTIN WALT DEPT 52-12
01CY ATTN W.L. IMMOF DEPT 52-12
01CY ATTN RICHARD G. JOHNSON DEPT 52-12
01CY ATTN J.B. CLADIS DEPT 52-12

MARTIN MARIETTA CORP ORLANDO DIVISION P.O. BOX 5837 ORLANDO, FL 32805 OICY ATTN R. HEFFNER

M.I.T. LINCOLN LABORATORY
P.O. BOX 73
LEXINGTON, MA 02173
OICY ATTN DAVID M. TOWLE
OICY ATTN L. LOUGHLIN
OICY ATTN D. CLARK

MCDONNEL DOUGLAS CORPORATION 5301 BOLSA AVENUE HUNTINGTON BEACH, CA 92647

OICY ATTN N. HARRIS OICY ATTN J. MOULE

Olcy ATTN GEORGE MROZ

Olcy ATTN W. OLSON

OICY ATTN R.W. HALPRIN

OICY ATTN TECHNICAL LIBRARY SERVICES

MISSION RESEARCH CORPORATION 735 STATE STREET

SANTA BARBARA, CA 93101

Olcy ATTN P. FISCHER Olcy ATTN W.F. CREVIER

O1CY ATTN STEVEN L. GUTSCHE

Olcy ATTN R. BOGUSCH Olcy ATTN R. HENDRICK

OICY ATTN RALPH KILB

OICY ATTN DAVE SOWLE

OICY ATTN F. FAJEN OICY ATTN M. SCHEIBE

OICY ATTN CONRAD L. LONGMIRE

OICY ATTN B. WHITE

MISSION RESEARCH CORP. 1720 RANDOLPH ROAD, S.E. ALBUQUERQUE, NEW MEXICO 87106 OICY R. STELLINGWERF

OICY M. ALME

OICY L. WRIGHT

MITRE CORPORATION, THE P.O. BOX 208 BEDFORD, MA 01730

OLCY ATTN JOHN MORGANSTERN
OLCY ATTN G. HARDING
OLCY ATTN C.E. CALLAHAN

MITRE CORP WESTGATE RESEARCH PARK 1820 DOLLY MADISON BLVD MCLEAN, VA 22101 OICY ATTN W. HALL OICY ATTN W. FOSTER

PACIFIC-SIERRA RESEARCH CORP 12340 SANTA MONICA BLVD. LOS ANGELES, CA 90025 OlCY ATTN E.C. FIELD, JR.

PENNSYLVANIA STATE UNIVERSITY IONOSPHERE RESEARCH LAB 318 ELECTRICAL ENGINEERING EAST UNIVERSITY PARK, PA 16802 (NO CLASS TO THIS ADDRESS) Olcy ATTN IONOSPHERIC RESEARCH LAB

PHOTOMETRICS, INC. 4 ARROW DRIVE WOBURN, MA 01801 Oldy ATTN IRVING L. KOFSKY

PHYSICAL DYNAMICS, INC. P.O. BOX 3027 BELLEVUE, WA 98009 Olcy ATTN E.J. FREMOUW

PHYSICAL DYNAMICS, INC. P.O. BOX 10367 OAKLAND, CA 94610 ATTN A. THOMSON

R & D ASSOCIATES P.O. BOX 9695 MARINA DEL REY, CA 90291 OICY ATTN FORREST GILMORE OICY ATTN WILLIAM B. WRIGHT, JR. OICY ATTN ROBERT F. LELEVIER OICY ATTN WILLIAM J. KARZAS OICY ATTN H. ORY OICY ATTN C. MACDONALD Olcy ATTN R. TURCO OICY ATTN L. DERAND OICY ATTN W. TSAI

RAND CORPORATION, THE 1700 MAIN STREET SANTA MONICA, CA 90406 OLCY ATTN CULLEN CRAIN OICY ATTN ED BEDROZIAN

RAYTHEON CO. 528 BOSTON POST ROAD SUDBURY, MA 01776 OLCY ATTN BARBARA ADAMS

RIVERSIDE RESEARCH INSTITUTE 80 WEST END AVENUE NEW YORK, NY 10023 OLCY ATTN VINCE TRAPANI

SCIENCE APPLICATIONS, INC.
P.O. BOX 2351
LA JOLLA, CA 92038
OICY ATTN LEWIS M. LINSON
OICY ATTN DANIEL A. HAMLIN
OICY ATTN E. FRIEMAN
OICY ATTN E.A. STRAKER
OICY ATTN CURTIS A. SMITH
OICY ATTN JACK MCDOUGALL

SCIENCE APPLICATIONS, INC 1710 GOODRIDGE DR. MCLEAN, VA 22102 ATTN: J. CUCKAYNE

SRI INTERNATIONAL

333 RAVENSWOOD AVENUE
MENLO PARK, CA 94025

OICY ATTN DONALD NEILSON
OICY ATTN ALAN BURNS
OICY ATTN G. SMITH
OICY ATTN DAVID A. JOHNSON
OICY ATTN WALTER G. CHESNUT
OICY ATTN WALTER JAYE
OICY ATTN WALTER JAYE
OICY ATTN J. VICKREY
OICY ATTN RAY L. LEADABRAND
OICY ATTN G. CARPENTER
OICY ATTN G. PRICE
OICY ATTN V. GONZALES
OICY ATTN V. GONZALES
OICY ATTN D. MCDANIEL

TECHNOLOGY INTERNATIONAL CORP
75 WIGGINS AVENUE
BEDFORD, MA 01730
01CY ATTN W.P. BOQUIST

TOYON RESEARCH CO.
P.O. Box 6890
SANTA BARBARA, CA 93111
OICY ATTN JOHN ISE, JR.
OICY ATTN JOEL GARBARINO

TRW DEFENSE & SPACE SYS GROUP
ONE SPACE PARK
REDONDO BEACH, CA 90278
OICY ATTN R. K. PLEBUCH
OICY ATTN S. ALTSCHULER
OICY ATTN D. DEE
OICY ATTN D. STOCKWELL
SNTF/1575

VISIDYNE
SOUTH BEDFORD STREET
BURLINGTON, MASS 01803
O1CY ATTN W. REIDY
O1CY ATTN J. CARPENTER
O1CY ATTN C. HUMPHREY

DATE